

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 November 2003 (06.11.2003)

PCT

(10) International Publication Number
WO 03/090731 A1

(51) International Patent Classification⁷: **A61K 31/05**,
A61P 1/04

Hans-Jürgen [DE/DE]; Vierthauen 17, 79576 Weil am
Rhein (DE).

(21) International Application Number: PCT/EP03/04217

(74) Agent: **GROS, Florent**; Novartis AG, Corporate Intellectual
Property, CH-4002 Basel (CH).

(22) International Filing Date: 23 April 2003 (23.04.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0209481.1 24 April 2002 (24.04.2002) GB

(71) Applicant (for all designated States except AT, US): **NO-
VARTIS AG** [CH/CH]; Lichtstrasse 35, CH-4056 Basel
(CH).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
LT, LU, LV, MA, MD, MK, MN, MX, NI, NO, NZ, OM,
PH, PL, PT, RO, RU, SC, SE, SG, SK, TJ, TM, TN, TR,
TT, UA, US, UZ, VC, VN, YU, ZA, ZW.

(84) Designated States (*regional*): Eurasian patent (AM, AZ,
BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE,
BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU,
IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

(71) Applicant (for AT only): **NOVARTIS PHARMA GMBH**
[AT/AT]; Brunner Strasse 59, A-1230 Vienna (AT).

Published:
— with international search report

(72) Inventor; and

(75) Inventor/Applicant (for US only): **PFANNKUCHE,**

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.



WO 03/090731 A1

(54) Title: **USE OF GABA_B RECEPTOR POSITIVE MODULATORS IN GASTRO-INTESTINAL DISORDERS**

(57) Abstract: The invention relates to the use of a compound acting as positive allosteric modulator of GABA_B receptors in the treatment of GERD, regurgitation, IBS, dyspepsia, postoperative complaints and conditions associated with visceral discomfort/pain.

Use of GABA_B receptor positive modulators in gastro-intestinal disorders

The present invention relates to new pharmaceutical uses of compounds acting as positive allosteric modulators at γ -aminobutyric acid, type B (GABA_B) receptors. They are generically referred to hereinafter as GABA_B receptor modulators.

More particularly the invention relates to the use of GABA_B receptor modulators in certain gastro-intestinal disorders including gastro-esophageal reflux disease and conditions associated with visceral discomfort and pain.

GABA_B receptor modulators such as 2,6-Di-tert-butyl-4-(3-hydroxy-2,2-dimethyl-propyl)-phenol and its aldehyde analog are known for example from Urwyler S. et al., Molecular Pharmacology, 2001, 60, 963-971.

Gastro-Esophageal Reflux Disease (GERD) is the most common ailment in the upper gastro-intestinal tract; its cardinal feature and symptom is commonly known as "heartburn". A major factor responsible of GERD is an incompetence of the Lower Esophageal Sphincter that opens transiently and allows passage of acidic material from the stomach into the esophagus. This motor event denominated Transient Lower Esophageal Sphincter Relaxation (TLESR) occurs more often in patients suffering from GERD than in healthy subjects and in infants with regurgitation. Current standard therapies in GERD aim at suppressing gastric acid secretion or enhancing gastrointestinal motility to limit the exposure of the esophagus to acidic gastric contents. Frequent exposure of the esophageal mucosa to acid can trigger pain (often perceived as heartburn) and lead to erosions in the esophagus. Todate, there is no treatment available which actually reduces the occurrence of TLESRs and, thereby, the symptoms of pain associated with GERD or regurgitation in infants.

Visceral pain and discomfort is not only a symptom of GERD. Patients suffering from Irritable Bowel Syndrome (IBS), dyspepsia, diseases of the biliary tract, pancreas, urinary bladder and postoperative conditions report pain and

discomfort. Visceral hypersensitivity has been discovered as a key phenomenon in many patients suffering from diseases like IBS, dyspepsia, GERD and other conditions listed above. To date, there is no treatment available which specifically treats visceral hypersensitivity and, thereby, reduces symptoms of pain and discomfort in patients suffering from GERD, IBS, dyspepsia, diseases of the biliary tract, pancreas, urinary bladder and postoperative conditions.

It has recently been reported e.g. in WO 98/11885 that substances acting as agonists at GABA_B receptors can reduce TLESRs.

GABA_B agonists such as Baclofen play a key role in nervous circuitries mediating TLESR. For example, GABA_B receptors are present in the nodose ganglion [S. Smid et al., *Am. J. Physiol.* (2001) 281: G1494-G1501], and the Dorsal Vagal Complex (DVC) [P. Brooks et al., *J. Physiol.* (1992) 457: 115-129; C. Mc Dermott et al., *Gastroenterol.* (2001) 120: 1749-1762].

Additionally, Baclofen has been shown to reduce the sensitivity of vagal afferent and efferent fibers [S. Smid et al., *Am. J. Physiol.* (2001) 281: G1494-G1501; D. Blackshaw, *Br. J. Pharmacol.* (2000) 130: 279-288].

Administration of Baclofen reduces the frequency of TLESR in ferrets, [L.A. Blackshaw et al., *Am. J. Physiol.* (1999) 277: G867-874, dogs [A. Lehmann et al., *Gastroenterol.* (1999) 117: 1147-1154], in GERD patients [O. Zhang et al., *Gut* (2002) 50: 19-24] and healthy subjects [I. Lidums et al., *Gastroenterol.*, (2000) 118: 7-13]. Furthermore, long-term recording of esophageal pH in GERD patients showed a significant reduction in esophageal acid exposure attributable to the reduction of TLESR by Baclofen [L. Cange, *Alim. Pharmacol. & Ther.* (2002) 16: 869-873].

In accordance with the present invention it has now surprisingly been found that substances acting as positive allosteric modulators at GABA_B receptors, but lacking classical GABA_B receptor agonist activity, show activity in animal models indicative for use in the treatment of the pathology of GERD, regurgitation, IBS, dyspepsia, and conditions associated with visceral pain and discomfort, as indicated in experiments including the following :

In the gastric distension-induced TLESR and crural diaphragm inhibition model in lightly sedated cats according to a modification of Liu J. et al., *Am. J. Physiology* (2002) 283:G1276-G1281, the receptors modulators at doses of 0.1-10 mg/kg (oral or parenteral administration) reduce the frequency of TLESR and block the inhibition of the crural diaphragm occurring concomitantly to the TLESR.

In the gastric distension-induced TLESR model in conscious dogs equipped with a chronic esophagostomy according to a modification of Lehmann A. et al., *Gastroenterology* (1999) 117:1147-1154, the receptors modulators at doses of 0.1-10 mg/kg (oral or parenteral administration) reduce the frequency of TLESR and reduce the esophageal acid exposure.

In the noxious colorectal distension model in the rat according to a modification of Morteau, O. et al., *Dig. Dis. Sci.* (1994) 39: 1239-1248 [for basics concerning the method, see Ness, T.J. and Gebhart, G.F., *Brain Res.* (1988) 450: 153-169; Gebhart, G.F. and Sengupta, J.N., in *Gaginella, T.A., ed., Methods in gastrointestinal pharmacology*, Boca Raton: CRC press (1996), 359-373], the receptor modulators at doses of 0.1-10 mg/kg (oral or parenteral administration) reduce responses to colorectal distension, such as pseudoaffective reflexes or abdominal striated muscle contractions, indicative of a visceral antinociceptive activity.

In the colorectal distension model of hyperalgesia in murine according to a modification of Traub, R.T. et al., *Neurosci.* (1996) 74: 873-884, the receptor modulators at doses of 0.1-10 mg/kg (oral or parenteral administration) inhibit the expression of immediate early genes following noxious stimulation of afferent fibers, again, indicative of a visceral antinociceptive intervention.

These findings with receptor modulators which lack classical GABA_B receptor agonist activity are indicative of therapeutic potential in the treatment of

GERD, regurgitation, IBS, dyspepsia and of conditions associated with visceral discomfort/pain.

Moreover, it has been found that positive allosteric modulators at doses of 0.1-10 mg/kg (parenteral administration) show activity in the post-operative ileus model according to Huge, A. et al., J. Surg. Res. (1998) 74: 112-118, as evidenced by a faster restauration of gastrointestinal motility as compared to vehicle/placebo treatment.

Hence, it follows that positive allosteric modulators of the GABA_B receptor are useful in the treatment of post-operative complaints such as visceral pain/discomfort and ileus.

For the above-mentioned indications the appropriate dosage will of course vary depending upon, for example, the compound employed, the host, the mode of administration and the nature and severity of the condition being treated.

However, in general, satisfactory results in animals are indicated to be obtained at a daily dosage of from about 0.1 to about 10 mg/kg body weight. In larger mammals, for example humans, an indicated daily dosage is in the range from about 1 to about 200 mg of a receptor modulator conveniently administered, for example, in divided doses up to four times a day.

The present invention accordingly provides the use of a receptor modulator in the treatment of the above-mentioned conditions.

For use according to the invention, the GABA_B receptor modulator may be administered as single active agent or in combination with other active agents, in any usual manner, e.g. orally, for example in the form of tablets or capsules, or parenterally, for example in the form of injection solutions or suspensions.

Moreover, the present invention provides a pharmaceutical composition comprising a GABA_B receptor modulator in association with at least one pharmaceutical carrier or diluent for use in the treatment of any of the above-

indicated diseases. Such compositions may be manufactured in conventional manner. Unit dosage forms may contain, for example, from about 0.25 to about 50 mg of the receptor modulator.

The present invention also provides the use of a GABA_B receptor modulator for the manufacture of a pharmaceutical composition for the treatment of any of the above-indicated diseases.

The invention furthermore provides a method for the treatment of any of the above-indicated diseases, in a subject in need of such treatment, which comprises administering to said subject a therapeutically effective amount of a GABA_B receptor modulator.

Claims

1. The use of a compound acting as positive allosteric modulator of GABA_B receptors (a GABA_B receptor modulator) in the treatment of GERD, regurgitation, IBS, dyspepsia, postoperative complaints and conditions associated with visceral discomfort/pain.
2. The use of a GABA_B receptor modulator for the manufacture of a pharmaceutical composition for the treatment of GERD, regurgitation, IBS, dyspepsia, postoperative complaints and conditions associated with visceral discomfort/pain.
3. A pharmaceutical composition comprising a GABA_B receptor modulator in association with at least one pharmaceutical carrier or diluent, for use in the treatment of GERD, regurgitation, IBS, dyspepsia, postoperative complaints and conditions associated with visceral discomfort/pain.
4. A method for treating GERD, regurgitation, IBS, dyspepsia, postoperative complaints and conditions associated with visceral discomfort/pain in a subject in need of such treatment, which comprises administering to said subject a therapeutically effective amount of a GABA_B receptor modulator.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 03/04217

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

Although claims 1, 4 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☒ Claims Nos.: 1-4 (partially)
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:

see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 1-4 (partially)

Present claims 1-4 relate to a compounds defined by reference to a desirable characteristic or property, namely that they behave as positive allosteric modulators of GABA-B receptors.

The claims cover all compounds having this characteristic or property, whereas the application provides support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for only a very limited number of such compounds. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the compounds by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible. Consequently, the search has been carried out for those parts of the claims which appear to be clear, supported and disclosed, namely those parts relating to the specific compounds mentioned on p. 1, paragraph 3 of the description, with due regard to the general idea underlying the functional definition of the referred compounds.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/04217

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 6117908	A	12-09-2000	AU 714370 B2	23-12-1999
			AU 4406497 A	14-04-1998
			BR 9711400 A	17-08-1999
			CN 1237105 A	01-12-1999
			CZ 9900930 A3	15-09-1999
			EE 9900095 A	15-10-1999
			EP 0936906 A1	25-08-1999
			HU 9903825 A2	28-05-2001
			JP 2001501604 T	06-02-2001
			KR 2000036185 A	26-06-2000
			NO 991287 A	17-03-1999
			NZ 334495 A	29-09-2000
			NZ 504244 A	29-09-2000
			PL 332497 A1	13-09-1999
			RU 2199316 C2	27-02-2003
			WO 9811885 A1	26-03-1998
			SK 30599 A3	18-01-2000
			TR 9900591 T2	21-07-1999
WO 0141748	A	14-06-2001	AU 2672801 A	18-06-2001
			BR 0016275 A	27-08-2002
			CA 2388959 A1	14-06-2001
			CN 1409634 T	09-04-2003
			CZ 20021967 A3	14-08-2002
			WO 0141748 A2	14-06-2001
			EP 1286668 A2	05-03-2003
			NO 20022680 A	12-08-2002
WO 0190141	A	29-11-2001	WO 0190141 A2	29-11-2001